

Rajkiya Engineering College Banda, Atarra, Banda (U.P.) 210201

INVITATION LETTER FOR CIVIL WORKS

Package Code: TEQIP-III/2019/UP/recb/147 Package Name: REC-CW-09	Current Date: 15-Nov-2019 Method:Shopping Civil Works
To,	

Dear Sir,

Sub: INVITATION LETTER FOR CONSTRUCTION OF REC-CW-09

1. You are invited to submit your most competitive quotation for the following works: -

Sr. No	Item Name	ApproximateQuantity	unit	Place of work
1.	Dismantling Work	617	Sqm	REC Banda
2.	Water proofing of roofs	617	Sqm	REC Banda
3.	Plaster Work (20mm)	617	Sqm	REC Banda
4.	6mm fiber for plaster	137	Nos	REC Banda
5.	Khurras Work	8	Each	REC Banda
6.	Brick Work	0.22	Cum	REC Banda
7.	Plaster Work (12mm)	34	Sqm	REC Banda

2.	Government of India has received a credit from the International Development Association (IDA) in
	various currencies equivalent to US\$ 36000000000 towards the cost of the Technical Education
	Quality Improvement Programme [TEQIP]-Phase III Project and intends to apply part of the
	Proceeds of this credit to eligible payments under the contract for which this invitation for
	quotations is issued.

3.	The	Project	in	state	is	being	implemented	by
		, which is an autonor	mous society	registered under the	Soc	cieties F	Registration Act	

- 4. To assist you in the preparation of your quotation, we are enclosing the following:
 - 1) Detailed Bill of Quantities
 - 2) Technical Specifications
 - 3) Instructions to Bidders (in two sections).
 - 4) Draft Contract Agreement format, which will be used for finalizing the agreement for this.
- 5. You are requested to provide your offer latest by 04:30 PM.On30-Nov-2019
- Quotations will be opened in the presence of Bidders or their representatives who choose to attend at 04:30 on30-Nov-2019 in the office of
 Description 1. The presence of Bidders or their representatives who choose to

Director, Rajkiya Engineering College Banda, Atarra, Banda (U.P.) 210201.

- Liquidated Damages will be applied:
 - 1) Liquidated Damages Per Day Min %: N/A
 - 2) Liquidated Damages Max %: N/A
- 8. We look forward to receiving your quotations and thank you for your interest in this project.

Name: Director, Rajkiya Engineering College, Banda

Address: Rajkiya Engineering College Banda, Atarra, Banda (U.P.) 210201

Tel. No: 7905607177

Fax No.

ary apm

Nodal Officer (Procurement)

TEQIP-III

समन्वयक TEQIP-III

Instructions to Bidders

SECTION - A

1. Scope of Works

The Rajkiya Engineering College, Banda (Employer) invites quotations for the construction of works as detailed in the table given below-

Sr. No	Item Name	Detailed Specification
1.	Dismantling Work	Dismantling of existing plaster including disposal of refuse as directed by the engineer in charge within a distance of 60 metres(ref. PWD S.O.R 706)
2.	Water proofing of roofs	Providing and laying water proofing treatment on roofs of slabs by applying cement slurry mixed with water proofing cement compound consisting of applying: (a) after surface preparation, first layer of slurry of cement @ 0.488 kg/sqm mixed with water proofing cement compound @ 0.253 kg/sqm. (b) laying second layer of Fibre glass cloth when the first layer is still green. Overlaps of joints of fibre cloth should not be less than 10 cm. (c) third layer of 1.5 mm thickness consisting of slurry of cement @ 1.289 kg/sqm mixed with water proofing cement compound @ 0.670 kg/sqm and coarse sand @ 1.289 kg/sqm. This will be allowed to air cure for 4 hours followed by water curing for 48 hours. The entire treatment will be taken upto 30 cm on parapet wall and tucked into groove in parapet all around. (d) fourth and final layer of brick tiling with cement mortar (which will be paid for separately. (For the purpose of measurement the entire treated surface will be measured.)(ref. DSR 22.6)



Instructions to Bidders

SECTION - A

1. Scope of Works

The Rajkiya Engineering College, Banda (Employer) invites quotations for the construction of works as detailed in the table given below-

Sr. No	Item Name	Detailed Specification
1,	Dismantling Work	Dismantling of existing plaster including disposal of refuse as directed by the engineer in charge within a distance of 60 metres(ref. PWD S.O.R 706)
2.	Water proofing of roofs	Providing and laying water proofing treatment on roofs of slabs by applying cement slurry mixed with water proofing cement compound consisting of applying: (a) after surface preparation, first layer of slurry of cement @ 0.488 kg/sqm mixed with water proofing cement compound @ 0.253 kg/sqm. (b) laying second layer of Fibre glass cloth when the first layer is still green. Overlaps of joints of fibre cloth should not be less than 10 cm. (c) third layer of 1.5 mm thickness consisting of slurry of cement @ 1.289 kg/sqm mixed with water proofing cement compound @ 0.670 kg/sqm and coarse sand @ 1.289 kg/sqm. This will be allowed to air cure for 4 hours followed by water curing for 48 hours. The entire treatment will be taken upto 30 cm on parapet wall and tucked into groove in parapet all around. (d) fourth and final layer of brick tiling with cement mortar (which will be paid for separately. (For the purpose of measurement the entire treated surface will be measured.)(ref. DSR 22.6)



3	Plaster Work (20mm)	20 mm thick plaster on brick work minimum thickness not to be less than 10 mm with 1 part of cement and 3 part coarse sand of 1.25 FM. (ref. PWD S.O.R 583)
4	6mm fiber for plaster	Supply of 6mm fiber for plaster @35g/50kg of cement.
5	Khurras Work	Making khurras 45x45 cm with average minimum thickness of 5 cm cement concrete 1:2:4 (1
		cement: 2 coarse sand: 4 graded stone aggregate of 20 mm nominal size) over P.V.C. sheet 1 m x1 m x 400 micron, finished with 12 mm cement plaster 1:3 (1 cement: 3 coarse sand) and a coat of neat cement, rounding the edges and making and finishing the outlet complete.(ref. DSR 12.22)
6	Brick Work	Class-150 brick work in 1:3 cement and coarse sand of 2.25 fineness modulus mortar in super-structure. Above plinth level up to floor two level (up to two storey) including necessary cutting and molding of brick work as required and also including honey combed brick work in thickness of wall more than 12cms.(ref. PWD S.O.R 307)
7	Plaster Work (12mm)	12 mm plaster with cement and fine sand of 1.25 FM in 1:6 over brick work minimum thickness not to be less than 1 cm including supply of all material, labour, T&P etc. required for proper completion of work.(ref. PWD S.O.R 586)





Clearing eye /drainage /Ventilation for smooth flow of rain water

Ing

The successful bidder will be expected to complete the works by the intended completion date specified above

- 2.Qualification of the bidder: The bidder shall provide qualification information which shall include:-
- (a)Total monetary value of construction works performed for each year of the last 3 years:
- (b)Income tax clearance certificate from the concerned IT circle;
- (c)Report on his financial standing; and
- (d)Details of any litigation, current or during the last 3 years in which the bidder is involved, the Parties concerned and disputed amount in each case.

3.To qualify for award of the contract the bidder:-

- (a) Should have satisfactorily completed as a prime contractor at least one similar work of value not less than Rs. 500,000 in the last three years;
- (b) Should possess valid electrical license for executing building electrification works (in the event of the works being sub contracted, the sub-contractor should have the necessary license);
- (c) Should possess required valid license for executing the water supply/sanitary works (in the event of the works being sub-contracted, the sub-contractor should have the necessary license);

4. Bid Price

(a) The contract shall be for the whole works as described in the Bill of quantities, drawings and technical specifications. Corrections, if any, shall be made by crossing out, initialling, dating and re writing.

Nodal Officer (Procurement)

TEQIP-III

Angres समन्वयके TEQIP-III (b)All duties, taxes and other levies payable by the contractor under the contract shall be included in the total price.

(c) The rates quoted by the bidder shall be fixed for the duration of the contract and shall not be subject to adjustment on any account.

(d)The rates should be quoted in Indian Rupees only.

5. Submission of Quotations

5.1The bidder is advised to visit the site of works at his own expense and obtain all information that may

be necessary for preparing the quotation.

5.2Each bidder shall submit only one quotation.

5.3 The quotation submitted by the bidder shall comprise the following:-

(a)Quotation in the format given in Section B.

(b) Signed Bill of Quantities; and

(c)Qualification information form given in Section B duly completed.

5.4The bidder shall seal the quotation in an envelope addressed to the Director, Rajkiya Rajkiya Engineering College Banda, Atarra, Banda (U.P.) 210201 (Purchaser). The envelope will also bear the following identification: - Quotation for REC-CW-09

Do not open before 30-Nov-2019 05:30

5.5Quotations must be received in the office of the Director, Rajkiya Engineering College Banda, Atarra, Banda (U.P.) 210201 (Employer) not later than the time and date given in the letter of invitation. If the specified date is declared a holiday, quotations shall be received up to the appointed time on the next working day

5.6Any quotation received by the Director, Rajkiya Engineering College Banda, Atarra, Banda (U.P.) 210201, after the deadline for submission of quotations will be rejected and returned unopened to the bidder.

6. Validity of Quotation

समन्वयक TEQIP-II

Nodal Officer (Procurement)

Quotation shall remain valid for a period not less than 90 days after the deadline date specified for submission.

7. Opening of Quotations

Quotations will be opened in the presence of bidders or their representatives who choose to attend on the

date and time and at the place specified in the letter of invitation.

8. Information relating to evaluation of quotations and recommendations for the award of contract shall

not be disclosed to bidders or any other persons not officially concerned with the process until the award

to the successful bidder is announced.

9. Evaluation of Quotations

The Employer will evaluate and compare the quotations determined to be substantially responsive i.e.

Which

(a) Meet the qualification criteria specified in clause 3 above;

(b)Are properly signed; and

(c)Conform to the terms and conditions, specifications and drawings without material Deviations.

10.Award of contract

The Employer will award the contract to the bidder whose quotation has been determined to be substantially responsive and who has offered the lowest evaluated quotation price and who meets the specified qualification criteria.

10.1Notwithstanding the above, the Employer reserves the right to accept or reject any Quotations and to cancel the bidding process and reject all quotations at any time prior to The Award of contract

10.2The bidder whose bid is accepted will be notified of the award of contract by the Employer Prior to expiration of the quotation validity period.

11.Performance Security

Nodal Officer (Procurement)

TEQIP-III

समन्वयक TEQIP-III Within 15 days of receiving letter of acceptance, the successful bidder shall deliver to the Director, Rajkiya Engineering College Banda, Atarra, Banda (U.P.) 210201 (Employer) the performance security (either a bank guarantee or a bank draft in favour of the Employer) for an amount equivalent of 0% of the

contract price. The Performance Security shall be valid till the expiry of the period of maintenance of the work, specified in clause 12.

12.Period of Maintenance:

The "Period of Maintenance" for the work is 6 months from the date of taking over possession or one full monsoon season whichever occurs later. During the period of maintenance, the contractor will be responsible for rectifying any defects in construction free of cost to the Employer.

13. Purchase of all construction materials including cement and steel as per the specifications (ISI certification marked goods wherever available) shall be the responsibility of the contractor.

Nodal Officer (Procurement)

TEQIP-III

र समन्वयक TEQIP-III

SECTION - B

- 1. Format for Qualification Information.
- 2. Format for Submission of Quotation.
- 3. Format of Letter of Acceptance.

QUALIFICATION INFORMATION

1.	For	Individual Bidders
	1.1	Principal place of business:
		Power of attorney of signatory of Quotation.
		[Attach copy]
	1.2	Total value of Civil Engineering
		Construction work performed in the last
		Three years (in Rs. Lakhs)
	1.3	Work performed as prime contractor (in the same name) on works of a similar nature over
		the last three years.
		Project Name, Name of Employer Description of work Contract No. Value of contract
		(Rs. Lakhs) Date of issue of work order Stipulated period of completion Actual date
		of completion Remarks explaining reasons for delay and work completed
		Existing commitments and on-going works:
	Des	cription of Work
	(1)	Place& State
	(2)	Contract No. & Date
	(3)	Value of Contract
		(Rs. Lakh)
	(4)	Stipulated period of completion
	(5)	Value of works* remaining to be completed
		(Rs. Lakhs)
	(6)	Anticipated date of completion

1.4 Proposed subcontracts and firms involve

* Enclose a certificate from Engineer concerned.

Sections of the works	Value of Sub- contract	Sub-contractor (name & address)	Experience in similar work

- 1.5 Evidence of access to financial resources to meet the requirements of working capital: cash in hand, lines of credit, etc. List them below and attach copies of support documents.
- 1.6 Name, address, and telephone, telex, and fax numbers of the Bidders' bankers who may provide references if contacted by the Employer.
- 1.7 Information on litigation history in which the Bidder is involved.

Other party(ies)	Employer	Cause of dispute	Amount involved	Remarks showing present status

QUOTATION

*Description of the Works:	
То:	
Subject: Construction of	
	······
Reference : Letter Nodated	from
Sir,	
We offer to execute the Works described in your letter r	eferred to above in accordance with the
Conditions of Contract enclosed therewith at perc	centage above / below the estimated rates, i.e., for
a total Contract Price of -	
Rs. **	[in figures]
Rs	[in words].
This quotation and your written acceptance of it sha	III constitute a binding contract between us. We
understand that you are not bound to accept the lowest	or any quotation you receive.
We hereby certify that we have taken steps to ensure	that no person acting for us or on our behalf will
engage in bribery. We hereby confirm that this quotation	in is valid for 45 days as required in Clause 6 of
the Instructions to Bidders.	
Yours faithfully,	
	Authorized Signature:
B./	
Date:	
Name & Title of Signatory:	
Name of Bidder:	
Address :	
AMOUNT SECURITIES SECU	
* To be filled in by the Employer before issue or	f the Letter of Invitation.
To be filled in by the Ridder together with his	s narticulars and date of submission at the bettern

of this Form.

Draft Agreement form for Construction through Lump Sum Contract

ARTICLES OF AGREEMENT

1.	This deed of agreement is made in the form of agreement on month 20, between [Employer) or his authorized representation.		
	(hereinafter referred to as the first party) and		
	Contractor), S/O resident of		
	ASSET STREET BUILDING STREET STREET	te the work of construction or referred to as works) on the following	
	terms and conditions.		
2.	Cost of the Contract		
	The total cost of the works (hereinafter referred reflected in Annexure - 1.	to as the "total cost") is Rs as	
3.	Payments under its contract:		
	Payments to the second party for the construction	on work will be released by the first part	
	in the following manner: -		
On Sur	ccessful Completion:	100% of total cost	
	bove payment terms have been drafted for const uitably for other works)	ruction of school buildings; modify	
3.1	The advance shall be repaid with percentage de commencing with the next Interim Payment at amounts of all Interim Payment Certificates until the provided that the advance shall be completely repaire for completion	the rate of@@percent of the he advance has been repaid, always	
	@The Guarantee shall remain effective until the ad		
2.0	@@Stipulate appropriately as 30/25/15 % depending	Security of the security of th	
3.2	The Employer shall retain (Retention Money) 6% of to the Contractor subject to the maximum of 5% amount retained shall be repaid upon completion	of final contract price. Half of the	
	repaid when the Defects Liability Period has past certified that all Defects notified to the Contractor	7.1.17 5. 5. 5. 5. 5. 5. 5. 5. 5. 5. 5. 5. 5.	

been corrected. On completion of the whole works the Contractor may substitute the balance retention money with an "on demand" Bank guarantee

- 3.3 Payments at each stage will be made by the first party:
 - (a) On the second party submitting an invoice for an equivalent amount
 - (b) on certification of the invoice (except for the first instalment) by the engineer nominated by the first party with respect to quality of works in the format in Annexure - 2; and
 - (c) upon proper and justified utilization of at least 50 % of the previous instalment and 100 % of any prior instalment.

4. Notice by Contractor to Engineer

The second party, on the works reaching each stage of construction, issue a notice to the <u>first party or the Engineer nominated by the first party</u> [who is responsible for supervising the contractor, administering the contract, certifying payments due to the contractor, issuing and valuing variations to the contract, awarding extension of time etc.) to visit the site for certification of stage completion. Within 15 days of the receipt of such notice, the first party or the engineer nominated by it, will ensure issue of stage completion certificate after due verification.

5. Completion time

The works should be completed in 60 daysfrom the date of this Agreement. In exceptional circumstances, the time period stated in this clause may be extended in writing by mutual consent of both the parties

- 6. If any of the compensation events mentioned below would prevent the work being completed by the intended completion date, the first party will decide on the intended completion date being extended by a suitable period:
 - a) The first party does not give access to the site or a part thereof by the agreed period.
 - b) The first party orders a delay or does not issue completed drawings, specifications or instructions for execution of the work on time.
 - c) Ground conditions are substantially more adverse than could reasonably have been assumed before issue of letter of acceptance and from information provided to second party or from visual inspection of the site.
 - d) Payments due to the second party are delayed without reason.
 - e) Certification for stage completion of the work is delayed unreasonably.
- Any wilful delay on the part of the second party in completing the construction within the stipulated period will render him liable to pay liquidated damages.

\$\$INV_LIG_DAMAGE_MIN\$\$ % per day which will be deducted from payments due to him. The first party may cancel the contract and take recourse to such other action as deemed appropriate once the total amount of liquidated damages exceeds 5 % of the contract amount.

(@Note: The amount of liquidated damages per day should be determined at not less than 0.05 % of the contract value of the works and indicated here).

Liquidated Damages Per Day Min % NA

Liquidated Damages Max %: NA

8 Duties and responsibilities of the first party

- 8.1 The first party shall be responsible for providing regular and frequent supervision and guidance to the second party for carrying out the works as per specifications. This will include written guidelines and regular site visit of the authorized personnel of the first party, for checking quality of material and construction to ensure that it is as per the norms.
- 8.2 The first party shall supply 3 sets of drawings, specifications and guidelines to the second party for the proposed works
- 8.3 Possession of the site will be handed over to the second party within 10 days of signing of the agreement.
- 8.4 The Engineer or such other person as may be authorized by the first party shall hold meeting once in a month where the second party or his representative at site will submit the latest information including progress report and difficulties if any, in the execution of the work. The whole team may jointly inspect the site on a particular day to take stock of activities.
- 8.5 The Engineer shall record his observations/instructions at the time of his site visit in a site register maintained by the second party. The second party will carry out the instructions and promptly rectify any deviations pointed out by the engineer. If the deviations are not rectified, within the time specified in the Engineer's notice, the first party as well as the engineer nominated by it, may instruct stoppage or suspension of the construction. It shall thereupon be open to the first party or the engineer to have the deviations rectified at the cost of the second party.

9. Duties and responsibilities of the second party

- 9.1 The second party shall:
- take up the works and arrange for its completion within the time period stipulated in clause
 5;
- employ suitable skilled persons to carry out the works;
- regularly supervise and monitor the progress of work;
- d) abide by the technical suggestions / direction of supervisory personnel including

- engineers etc. regarding building construction;
- be responsible for bringing any discrepancy to the notice of the representative of the first party and seek necessary clarification:
- ensure that the work is carried out in accordance with specifications, drawings and within the total of the contract amount without any cost escalation;
- g) keep the first party informed about the progress of work;
- correct the notified defects within the length of time specified by the Project Manager;
- be responsible for all security and watch and ward arrangements at site till handing over of the building to the first party;
- maintain necessary insurance against loss of materials/cash, etc. or workman disability compensation claims of the personnel deployed on the works as well as third party claims from the start date to the end of defect liability period;
- k) pay all duties, taxes and other levies payable by construction agencies as per law under the contract (First party will effect deduction from running bills in respect of such taxes as may be imposed under the law);
- abide by all labour enactments and rules made there under, regulations, notifications and bye laws of the State or Central Government or local authority;
- m) abide by all enactments on environmental protection and rules made there under, regulations, notifications and by-laws of the Sate or Central Government, or local authorities;
- n) be responsible for the safety of all activities on the Site.

10. Variations / Extra Items

The works shall be executed by the second party in accordance with the approved drawings and specifications. No variation in cost is acceptable. However, if the Engineer issues instructions for execution of extra items, the following procedure shall be followed: -

- The second party shall provide the Engineer with a bid for carrying out the extra items when requested to do so by the Engineer. The Engineer shall assess the bid, which shall be given within seven days of the request before the extra items are ordered
- b) If the bid given by the second party is unreasonable, the Engineer may order the extra items and make a change to the Contract Price which shall be based on Engineer's own forecast of the effects of the extra items on the Contractor's costs.
- The second party shall not be entitled to additional payment for costs, which could have been avoided by giving early warning.

11. Securities

The Performance Security shall be provided to the Employer no later than the date specified in the Letter of Acceptance and shall be issued in an amount and form and by a bank or surety

acceptable to the Employer. The Performance Security shall be valid until a date 28 days from the date of issue of the Certificate of Completion in the case of a Bank Guarantee.

12. Termination

- 12.1 The Employer may terminate the Contract if the other party causes a fundamental breach of the Contract.
- \$2.2 Fundamental breaches of Contract include, but shall not be limited to the following:
 - (a) the contractor stops work for 28 days and the stoppage has not been authorized by the Engineer;
 - (b) the Contractor has become bankrupt or goes into liquidation other than for a reconstruction or amalgamation;
 - (c) the Engineer gives Notice that failure to correct a particular Defect is a fundamental breach of Contract and the Contractor fails to correct it within a reasonable period of time determined by the Engineer;
 - (d) the Contractor does not maintain a security which is required;
 - (e) the Contractor has engaged in corrupt, fraudulent, collusive, coercive or obstructive practices, in competing for or in executing the Contract; and
 - (f) the contractor has delayed the completion of the Works by the number of days for which the maximum amount of liquidated damages can be paid
- 12.3 Notwithstanding the above, the Employer may terminate the Contract for convenience.
- 12.4 If the Contract is terminated the Contractor shall stop work immediately, make the Site safe and secure and leave the Site as soon as reasonably possible

13. Payment upon Termination

- 13.1 If the Contract is terminated because of a fundamental breach of Contract by the Contractor, the Engineer shall issue a certificate for the value of the work done less advance payments received up to the date of the issue of the certificate, less other recoveries due in terms of the contract, less taxes due to be deducted at source as per applicable law.
- 13.2 If the Contract is terminated at the Employer's convenience, the Engineer shall issue a certificate for the value of the work done, the reasonable cost of removal of Equipment, repatriation of the Contractor's personnel employed solely on the Works, and the Contractor's costs of protecting and securing the Works and less advance payments received up to the date of the certificate, less other recoveries due in terms of the contract and less taxes due to be deducted at source as per applicable law.

14. Dispute settlement

If over the works, any dispute arises between the two parties, relating to any aspects of this Agreement, the parties shall first attempt to settle the dispute through mutual and amicable

consultation.

In the event of agreement not being reached, the matter will be referred for arbitration by a Sole Arbitrator not below the level of retired Chief Engineer / Superintending Engineer, (not connected in part or whole with this Project in his service) to be appointed by the first party. The Arbitration will be conducted in accordance with the Arbitration and Conciliation Act, 1996. The decision of the Arbitrator shall be final and binding on both the parties.

Annexure- A

BILL OF QUANTITIES

Sr.No.	Description of work (with full Specifications)						GST
		Approximate Qty.	Unit	Quoted unit rate in Rs.	Total Price (A)	In %	In figures (B)
1.	Dismantling of existing plaster including disposal of refuse as directed by the engineer in charge within a distance of 60 metres(ref. PWD S.O.R 706)	617	Sqm				
2.	Providing and laying water proofing treatment on roofs of slabs by applying cement slurry mixed with water proofing cement compound consisting of applying: (a) after surface preparation, first layer of slurry of cement @ 0.488 kg/sqm mixed with water proofing cement compound @ 0.253 kg/sqm. (b) laying second layer of Fibre glass cloth when the first layer is still green. Overlaps of joints of fibre cloth should not be less than 10 cm. (c) third layer of 1.5 mm thickness consisting of slurry of cement @ 1.289 kg/sqm mixed with water proofing cement compound @ 0.670 kg/sqm and coarse sand @ 1.289 kg/sqm. This will be allowed to air cure for 4 hours followed by water curing for 48 hours. The entire treatment will be taken upto 30 cm on parapet wall and tucked into groove in parapet all around. (d) fourth and final layer of brick tiling with cement mortar (which will be paid for separately. (For the purpose of measurement the entire treated surface will	617	Sqm				

	be measured.)(ref. DSR 22.6)				
3.	20 mm thick plaster on brick work minimum thickness not to be less than 10 mm with 1 part of cement and 3 part coarse sand of 1.25 FM. (ref. PWD S.O.R 583)	617	Sqm	7	
4.	Supply of 6mm fiber for plaster @35g/50kg of cement.	137	Nos	i.	
5.	Making khurras 45x45 cm with average minimum thickness of 5 cm cement concrete 1:2:4 (1 cement : 2 coarse sand : 4 graded stone aggregate of 20 mm nominal size) over P.V.C. sheet 1 m x1 m x 400 micron, finished with 12 mm cement plaster 1:3 (1 cement : 3 coarse sand) and a coat of neat cement, rounding the edges and making and finishing the outlet complete.(ref. DSR 12.22)	8	Each		
6.	Class-150 brick work in 1:3 cement and coarse sand of 2.25 fineness modulus mortar in super-structure. Above plinth level up to floor two level (up to two storey) including necessary cutting and molding of brick work as required and also including honey combed brick work in thickness of wall more than 12cms.(ref. PWD S.O.R 307)	0.22	Cum		

				Gross Total Cos	st (A+B): Rs	<u> </u>
tal C	ost			- 1		
8.	Clearing eye /drainage /Ventilation	16	Nos			
	12 mm plaster with cement and fine sand of 1.25 FM in 1:6 over brick work minimum thickness not to be less than 1 cm including supply of all material, labour, T&P etc. required for proper completion of work.(ref. PWD S.O.R 586)	34	Sqm			

specifications at a total fixed contract price of

Signature of Contractor

Annexure-B

Format of certificate

Certified that the works up to		level in respect of construction of							
at	have	been	executed	in	accordance	with	the		
approved drawing and technical specifications.									
Signature									
Name & Designation									
(Official address)									
Place :									
Date :									
Office and									